



1/10


FIG. 1A



2/10  
FIG. 1B


3/10

FIG. 2A




4/10

FIG. 2B




5/10  
FIG. 3




6/10

FIG. 4




7/10

FIG. 5



8/10


FIG. 6





9/10


FIG. 7



10/10

FIG. 8

**PDGF Western blot**  
**15% SDS-PAGE gel separation**  
**blot probed with R&D Systems anti-PDGF-BB**  
**(MAB2201)**



MW PDGF-B = 14kDa

MW PDGF-A = 16 kDa

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☒ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☒ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☒ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**